

SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANT: Johnson, Howard M.
Pontzer, Carol H.

(ii) TITLE OF INVENTION: Interferon Tau Compositions and
Methods of Use

(iii) NUMBER OF SEQUENCES: 44

(iv) CORRESPONDENCE ADDRESS:

(A) ADDRESSEE: Dehlinger & Associates
(B) STREET: 350 Cambridge Ave., Suite 250
(C) CITY: Palo Alto
(D) STATE: CA
(E) COUNTRY: USA
(F) ZIP: 94306

(v) COMPUTER READABLE FORM:

(A) MEDIUM TYPE: Floppy disk
(B) COMPUTER: IBM PC compatible
(C) OPERATING SYSTEM: PC-DOS/MS-DOS
(D) SOFTWARE: PatentIn Release #1.0, Version #1.25

(vi) CURRENT APPLICATION DATA:

(A) APPLICATION NUMBER: To be assigned
(B) FILING DATE: Filed herewith
(C) CLASSIFICATION:

(vii) PRIOR APPLICATION DATA:

(A) APPLICATION NUMBER: US 08/455,021
(B) FILING DATE: 31-MAY-1995

(vii) PRIOR APPLICATION DATA:

(A) APPLICATION NUMBER: US 08/438,753
(B) FILING DATE: 10-MAY-1995

(vii) PRIOR APPLICATION DATA:

(A) APPLICATION NUMBER: US 08/139,891
(B) FILING DATE: 19-OCT-1993

(vii) PRIOR APPLICATION DATA:

- (A) APPLICATION NUMBER: US 07/847,741
- (B) FILING DATE: 09-MAR-1992

(vii) PRIOR APPLICATION DATA:

- (A) APPLICATION NUMBER: US 07/318,050
- (B) FILING DATE: 02-MAR-1989

(vii) PRIOR APPLICATION DATA:

- (A) APPLICATION NUMBER: US 07/969,890
- (B) FILING DATE: 30-OCT-1992

(viii) ATTORNEY/AGENT INFORMATION:

- (A) NAME: Dehlinger, Peter J.
- (B) REGISTRATION NUMBER: 28,006
- (C) REFERENCE/DOCKET NUMBER: 5600-0001.36

(ix) TELECOMMUNICATION INFORMATION:

- (A) TELEPHONE: 650-324-0880
- (B) TELEFAX: 650-324-0960

(2) INFORMATION FOR SEQ ID NO:1:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 516 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: circular

(ii) MOLECULE TYPE: DNA

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: Ovis aries
- (B) STRAIN: Domestic
- (D) DEVELOPMENTAL STAGE: Blastula (blastocyst)
- (F) TISSUE TYPE: Trophectoderm

(G) CELL TYPE: Mononuclear trophectoderm cells

(vii) IMMEDIATE SOURCE:

(B) CLONE: oTP-1a

(viii) POSITION IN GENOME:

(C) UNITS: bp

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION: 1..516

(x) PUBLICATION INFORMATION:

(A) AUTHORS: Ott, Troy L

Van Heeke, Gino

Johnson, Howard M

Bazer, Fuller W

(B) TITLE: Cloning and Expression in Saccharomyces cerevisiae of a Synthetic Gene for the Type I Trophoblast Interferon Ovine Trophoblast Protein-1: Purification and Antiviral Activity

(C) JOURNAL: J. Interferon Res.

(D) VOLUME: 11

(F) PAGES: 357-364

(G) DATE: 1991

(K) RELEVANT RESIDUES IN SEQ ID NO:1: FROM 1 TO 516

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

TGC TAC CTG TCG CGA AAA CTG ATG CTG GAC GCT CGA GAA AAT TTA AAA	48
Cys Tyr Leu Ser Arg Lys Leu Met Leu Asp Ala Arg Glu Asn Leu Lys	
1 5 10 15	
CTG CTG GAC CGT ATG AAT CGA TTG TCT CCG CAC AGC TGC CTG CAA GAC	96
Leu Leu Asp Arg Met Asn Arg Leu Ser Pro His Ser Cys Leu Gln Asp	
20 25 30	
CGG AAA GAC TTC GGT CTG CCG CAG GAA ATG GTT GAA GGT GAC CAA CTG	144
Arg Lys Asp Phe Gly Leu Pro Gln Glu Met Val Glu Gly Asp Gln Leu	
35 40 45	

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: amino acid sequence of a mature
OvIFNtau protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Cys Tyr Leu Ser Arg Lys Leu Met Leu Asp Ala Arg Glu Asn Leu Lys
1 5 10 15

Leu Leu Asp Arg Met Asn Arg Leu Ser Pro His Ser Cys Leu Gln Asp
20 25 30

Arg Lys Asp Phe Gly Leu Pro Gln Glu Met Val Glu Gly Asp Gln Leu
35 40 45

Gln Lys Asp Gln Ala Phe Pro Val Leu Tyr Glu Met Leu Gln Gln Ser
50 55 60

Phe Asn Leu Phe Tyr Thr Glu His Ser Ser Ala Ala Trp Asp Thr Thr
65 70 75 80

Leu Leu Glu Gln Leu Cys Thr Gly Leu Gln Gln Gln Leu Asp His Leu
85 90 95

Asp Thr Cys Arg Gly Gln Val Met Gly Glu Glu Asp Ser Glu Leu Gly
100 105 110

Asn Met Asp Pro Ile Val Thr Val Lys Lys Tyr Phe Gln Gly Ile Tyr
115 120 125

Asp Tyr Leu Gln Glu Lys Gly Tyr Ser Asp Cys Ala Trp Glu Ile Val
130 135 140

Arg Val Glu Met Met Arg Ala Leu Thr Val Ser Thr Thr Leu Gln Lys
145 150 155 160

Arg Leu Thr Lys Met Gly Gly Asp Leu Asn Ser Pro
165 170

(2) INFORMATION FOR SEQ ID NO:3:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 516 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: synthetic nucleotide sequence encoding a mature human interferon-tau protein, HuIFN τ aul.

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

TGTGACTTGT CTCAAACCA CGTTTTGGTT GGTAGAAAGA ACTTAAGACT ACTAGACGAA	60
ATGAGACGTC TATCTCCACG CTTCTGTCTA CAAGACAGAA AGGACTTCGC TTTGCCTCAG	120
GAAATGGTTG AAGGTGGCCA ACTACAAGAA GCTCAAGCGA TATCTGTTTT GCACGAAATG	180
TTGCAACAAA GCTTCAACTT GTTCCACACC GAACACTCTT CGGCCGCTTG GGACACCACC	240
TTGTTGGAAC AGCTCAGAAC CGGTTTGCAC CAACAATTGG ACAACTTGGA TGCATGTTTG	300
GGTCAAGTTA TGGGTGAAGA AGACTCTGCT CTCGGGAGAA CCGGTCCAAC GCTAGCTTTG	360
AAGAGATACT TCCAAGGTAT CCACGTTTAC TTGAAGGAAA AGGGTTACTC TGA CTGTGCT	420
TGGGAAACCG TCGTCTAGA AATCATGCGT AGCTTCTCTT CTTTGATCAG CTTGCAAGAA	480
AGATTACGTA TGATGGACGG TGACTTGTCG AGCCCA	516

(2) INFORMATION FOR SEQ ID NO:4:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 172 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: amino acid sequence for a mature
HuIFNtau protein, HuIFNtau1.

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

Cys Asp Leu Ser Gln Asn His Val Leu Val Gly Arg Lys Asn Leu Arg
1 5 10 15

Leu Leu Asp Glu Met Arg Arg Leu Ser Pro Arg Phe Cys Leu Gln Asp
20 25 30

Arg Lys Asp Phe Ala Leu Pro Gln Glu Met Val Glu Gly Gly Gln Leu
35 40 45

Gln, Glu Ala Gln Ala Ile Ser Val Leu His Glu Met Leu Gln Gln Ser
50 55 60

Phe Asn Leu Phe His Thr Glu His Ser Ser Ala Ala Trp Asp Thr Thr
65 70 75 80

Leu Leu Glu Gln Leu Arg Thr Gly Leu His Gln Gln Leu Asp Asn Leu
85 90 95

Asp Ala Cys Leu Gly Gln Val Met Gly Glu Glu Asp Ser Ala Leu Gly
100 105 110

Arg Thr Gly Pro Thr Leu Ala Leu Lys Arg Tyr Phe Gln Gly Ile His
115 120 125

Val Tyr Leu Lys Glu Lys Gly Tyr Ser Asp Cys Ala Trp Glu Thr Val
130 135 140

Arg Leu Glu Ile Met Arg Ser Phe Ser Ser Leu Ile Ser Leu Gln Glu
145 150 155 160

Arg Leu Arg Met Met Asp Gly Asp Leu Ser Ser Pro
165 170

(2) INFORMATION FOR SEQ ID NO:5:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 37 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: amino acid sequence of fragment 1-37
of SEQ ID NO:2

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

Cys Tyr Leu Ser Arg Lys Leu Met Leu Asp Ala Arg Glu Asn Leu Lys
5 10 15
Leu Leu Asp Arg Met Asn Arg Leu Ser Pro His Ser Cys Leu Gln Asp
20 25 30
Arg Lys Asp Phe Gly
35

(2) INFORMATION FOR SEQ ID NO:6:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 31 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: amino acid sequence of fragment 34-64
of SEQ ID NO:2

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

Lys Asp Phe Gly Leu Pro Gln Glu Met Val Glu Gly Asp Gln Leu Gln
5 10 15

Lys Asp Gln Ala Phe Pro Val Leu Tyr Glu Met Leu Gln Gln Ser
 20 25 30

(2) INFORMATION FOR SEQ ID NO:7:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 31 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: amino acid sequence of fragment 62-92
 of SEQ ID NO:2

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

Gln Gln Ser Phe Asn Leu Phe Tyr Thr Glu His Ser Ser Ala Ala Trp
 5 10 15

Asp Thr Thr Leu Leu Glu Gln Leu Cys Thr Gly Leu Gln Gln Gln
 20 25 30

(2) INFORMATION FOR SEQ ID NO:8:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 33 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: amino acid sequence of fragment 90-122
 of SEQ ID NO:2

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

Gln Gln Gln Leu Asp His Leu Asp Thr Cys Arg Gly Gln Val Met Gly
5 10 15

Glu Glu Asp Ser Glu Leu Gly Asn Met Asp Pro Ile Val Thr Val Lys
20 25 30

Lys

(2) INFORMATION FOR SEQ ID NO:9:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 32 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: amino acid sequence of fragment 119-150
of SEQ ID NO:2

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

Thr Val Lys Lys Tyr Phe Gln Gly Ile Tyr Asp Tyr Leu Gln Glu Lys
5 10 15

Gly Tyr Ser Asp Cys Ala Trp Glu Ile Val Arg Val Glu Met Met Arg
20 25 30

(2) INFORMATION FOR SEQ ID NO:10:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 34 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: amino acid sequence of fragment 139-172
of SEQ ID NO:2

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

Cys Ala Trp Glu Ile Val Arg Val Glu Met Met Arg Ala Leu Thr Val
5 10 15

Ser Thr Thr Leu Gln Lys Arg Leu Thr Lys Met Gly Gly Asp Leu Asn
20 25 30

Ser Pro

(2) INFORMATION FOR SEQ ID NO:11:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 588 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: HuIFNtau1 Human Interferon Tau coding
sequence with a leader sequence.

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..585

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

ATG GCC TTC GTG CTC TCT CTA CTC ATG GCC CTG GTG CTG GTC AGC TAC
Met Ala Phe Val Leu Ser Leu Leu Met Ala Leu Val Leu Val Ser Tyr
1 5 10 15

48

GGC CCA GGA GGA TCC CTG GGT TGT GAC CTG TCT CAG AAC CAC GTG CTG 96
 Gly Pro Gly Gly Ser Leu Gly Cys Asp Leu Ser Gln Asn His Val Leu
 20 25 30

GTT GGC AGG AAG AAC CTC AGG CTC CTG GAC GAA ATG AGG AGA CTC TCC 144
 Val Gly Arg Lys Asn Leu Arg Leu Leu Asp Glu Met Arg Arg Leu Ser
 35 40 45

CCT CGC TTT TGT CTG CAG GAC AGA AAA GAC TTC GCT TTA CCC CAG GAA 192
 Pro Arg Phe Cys Leu Gln Asp Arg Lys Asp Phe Ala Leu Pro Gln Glu
 50 55 60

ATG GTG GAG GGC GGC CAG CTC CAG GAG GCC CAG GCC ATC TCT GTG CTC 240
 Met Val Glu Gly Gly Gln Leu Gln Glu Ala Gln Ala Ile Ser Val Leu
 65 70 75 80

CAT GAG ATG CTC CAG CAG AGC TTC AAC CTC TTC CAC ACA GAG CAC TCC 288
 His Glu Met Leu Gln Gln Ser Phe Asn Leu Phe His Thr Glu His Ser
 85 90 95

TCT GCT GCC TGG GAC ACC ACC CTC CTG GAG CAG CTC CGC ACT GGA CTC 336
 Ser Ala Ala Trp Asp Thr Thr Leu Leu Glu Gln Leu Arg Thr Gly Leu
 100 105 110

CAT CAG CAG CTG GAC AAC CTG GAT GCC TGC CTG GGG CAG GTG ATG GGA 384
 His Gln Gln Leu Asp Asn Leu Asp Ala Cys Leu Gly Gln Val Met Gly
 115 120 125

GAG GAA GAC TCT GCC CTG GGA AGG ACG GGC CCC ACC CTG GCT CTG AAG 432
 Glu Glu Asp Ser Ala Leu Gly Arg Thr Gly Pro Thr Leu Ala Leu Lys
 130 135 140

AGG TAC TTC CAG GGC ATC CAT GTC TAC CTG AAA GAG AAG GGA TAC AGC 480
 Arg Tyr Phe Gln Gly Ile His Val Tyr Leu Lys Glu Lys Gly Tyr Ser
 145 150 155 160

GAC TGC GCC TGG GAA ACC GTC AGA CTG GAA ATC ATG AGA TCC TTC TCT 528
 Asp Cys Ala Trp Glu Thr Val Arg Leu Glu Ile Met Arg Ser Phe Ser
 165 170 175

TCA TTA ATC AGC TTG CAA GAA AGG TTA AGA ATG ATG GAT GGA GAC CTG
 Ser Leu Ile Ser Leu Gln Glu Arg Leu Arg Met Met Asp Gly Asp Leu
 180 185 190

576

AGC TCA CCT TGA
 Ser Ser Pro
 195

588

(2) INFORMATION FOR SEQ ID NO:12:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 195 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: predicted amino acid coding sequence
 of SEQ ID NO:11 (HuIFNtau1).

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

Met Ala Phe Val Leu Ser Leu Leu Met Ala Leu Val Leu Val Ser Tyr
 1 5 10 15

Gly Pro Gly Gly Ser Leu Gly Cys Asp Leu Ser Gln Asn His Val Leu
 20 25 30

Val Gly Arg Lys Asn Leu Arg Leu Leu Asp Glu Met Arg Arg Leu Ser
 35 40 45

Pro Arg Phe Cys Leu Gln Asp Arg Lys Asp Phe Ala Leu Pro Gln Glu
 50 55 60

Met Val Glu Gly Gly Gln Leu Gln Glu Ala Gln Ala Ile Ser Val Leu
 65 70 75 80

His Glu Met Leu Gln Gln Ser Phe Asn Leu Phe His Thr Glu His Ser
 85 90 95

Ser Ala Ala Trp Asp Thr Thr Leu Leu Glu Gln Leu Arg Thr Gly Leu
100 105 110

His Gln Gln Leu Asp Asn Leu Asp Ala Cys Leu Gly Gln Val Met Gly
115 120 125

Glu Glu Asp Ser Ala Leu Gly Arg Thr Gly Pro Thr Leu Ala Leu Lys
130 135 140

Arg Tyr Phe Gln Gly Ile His Val Tyr Leu Lys Glu Lys Gly Tyr Ser
145 150 155 160

Asp Cys Ala Trp Glu Thr Val Arg Leu Glu Ile Met Arg Ser Phe Ser
165 170 175

Ser Leu Ile Ser Leu Gln Glu Arg Leu Arg Met Met Asp Gly Asp Leu
180 185 190

Ser Ser Pro
195

(2) INFORMATION FOR SEQ ID NO:13:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 25 bases
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (synthetic)

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: 25-mer synthetic oligonucleotide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

CCTGTCTGCA GGACAGAAAA GACTT

(2) INFORMATION FOR SEQ ID NO:14:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 25 bases
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (synthetic)

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: 25-mer synthetic oligonucleotide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

TCTGAATTCT GACGATTTC CAGGC

25

(2) INFORMATION FOR SEQ ID NO:15:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 37 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: Amino acid sequence of fragment
1-37 of SEQ ID NO:4

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

Cys	Asp	Leu	Ser	Gln	Asn	His	Val	Leu	Val	Gly	Arg	Lys	Asn	Leu	Arg
1				5						10				15	

Leu	Leu	Asp	Glu	Met	Arg	Arg	Leu	Ser	Pro	Arg	Phe	Cys	Leu	Gln	Asp
			20					25					30		

Arg	Lys	Asp	Phe	Ala
				35

(2) INFORMATION FOR SEQ ID NO:16:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 31 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: Amino acid sequence of fragment
34-64 of SEQ ID NO:4

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

Lys	Asp	Phe	Ala	Leu	Pro	Gln	Glu	Met	Val	Glu	Gly	Gly	Gln	Leu	Gln
1				5					10					15	
Glu	Ala	Gln	Ala	Ile	Ser	Val	Leu	His	Glu	Met	Leu	Gln	Gln	Ser	
				20				25						30	

(2) INFORMATION FOR SEQ ID NO:17:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 31 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: Amino acid sequence of fragment
62-92 of SEQ ID NO:4

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:

Gln Gln Ser Phe Asn Leu Phe His Thr Glu His Ser Ser Ala Ala Trp
1 5 10 15

Asp Thr Thr Leu Leu Glu Gln Leu Arg Thr Gly Leu His Gln Gln
20 25 30

(2) INFORMATION FOR SEQ ID NO:18:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 33 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: Amino acid sequence of fragment
90-122 of SEQ ID NO:4

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:

His Gln Gln Leu Asp Asn Leu Asp Ala Cys Leu Gly Gln Val Met Gly
1 5 10 15

Glu Glu Asp Ser Ala Leu Gly Arg Thr Gly Pro Thr Leu Ala Leu Lys
20 25 30

Arg

(2) INFORMATION FOR SEQ ID NO:19:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 32 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:

Gln Gln Ser Phe Asn Leu Phe His Thr Glu His Ser Ser Ala Ala Trp
1 5 10 15

Asp Thr Thr Leu Leu Glu Gln Leu Arg Thr Gly Leu His Gln Gln
20 25 30

(2) INFORMATION FOR SEQ ID NO:18:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 33 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: Amino acid sequence of fragment
90-122 of SEQ ID NO:4

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:

His Gln Gln Leu Asp Asn Leu Asp Ala Cys Leu Gly Gln Val Met Gly
1 5 10 15

Glu Glu Asp Ser Ala Leu Gly Arg Thr Gly Pro Thr Leu Ala Leu Lys
20 25 30

Arg

(2) INFORMATION FOR SEQ ID NO:19:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 32 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: Amino acid sequence of fragment
119-150 of SEQ ID NO:4

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:

Ala Leu Lys Arg Tyr Phe Gln Gly Ile His Val Tyr Leu Lys Glu Lys
1 5 10 15

Gly Tyr Ser Asp Cys Ala Trp Glu Thr Val Arg Leu Glu Ile Met Arg
20 25 30

(2) INFORMATION FOR SEQ ID NO:20:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 34 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: Amino acid sequence of fragment
139-172 of SEQ ID NO:4

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:20:

Cys Ala Trp Glu Thr Val Arg Leu Glu Ile Met Arg Ser Phe Ser Ser
1 5 10 15

Leu Ile Ser Leu Gln Glu Arg Leu Arg Met Met Asp Gly Asp Leu Ser
20 25 30

Ser Pro

(2) INFORMATION FOR SEQ ID NO:21:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 299 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: HuIFNtau6

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 2..298

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:21:

C CAG GAG ATG GTG GAG GGC GGC CAG CTC CAG GAG GCC CAG GCC ATC	46
Gln Glu Met Val Glu Gly Gly Gln Leu Gln Glu Ala Gln Ala Ile	
1 5 10 15	
TCT GTG CTC CAC AAG ATG CTC CAG CAG AGC TTC AAC CTC TTC CAC ACA	94
Ser Val Leu His Lys Met Leu Gln Gln Ser Phe Asn Leu Phe His Thr	
20 25 30	
GAG CGC TCC TCT GCT GCC TGG GAC ACC ACC CTC CTG GAG CAG CTC CGC	142
Glu Arg Ser Ser Ala Ala Trp Asp Thr Thr Leu Leu Glu Gln Leu Arg	
35 40 45	
ACT GGA CTC CAT CAG CAG CTG GAT GAC CTG GAC GCC TGC CTG GGG CAG	190
Thr Gly Leu His Gln Gln Leu Asp Asp Leu Asp Ala Cys Leu Gly Gln	
50 55 60	
GTG ACG GGA GAG GAA GAC TCT GCC CTG GGA AGG ACG GGC CCC ACC CTG	238
Val Thr Gly Glu Glu Asp Ser Ala Leu Gly Arg Thr Gly Pro Thr Leu	
65 70 75	

GCC GTG AAG AGC TAC TTC CAG GGC ATC CAT ATC TAC CTG CAA GAG AAG
Ala Val Lys Ser Tyr Phe Gln Gly Ile His Ile Tyr Leu Gln Glu Lys
80 85 90 95

GGA TAC AGC GAC T
Gly Tyr Ser Asp

(2) INFORMATION FOR SEQ ID NO:22:

- (A) LENGTH: 99 amino acids
(B) TYPE: amino acid
(D) TOPOLOGY: linear

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:

Val Leu His Lys Met Leu Gln Gln Ser Phe Asn Leu Phe His Thr Glu
20 25 30

Gly Leu His Gln Gln Leu Asp Asp Leu Asp Ala Cys Leu Gly Gln Val
50 55 60

Val Lys Ser Tyr Phe Gln Gly Ile His Ile Tyr Leu Gln Glu Lys Gly
85 90 95

THE UNIVERSITY OF CHICAGO

(2) INFORMATION FOR SEQ ID NO:23:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 288 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: HuIFNtau7

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 2..286

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:

C	CAG	GAG	ATG	GTG	GAG	GTC	AGC	CAG	TTC	CAG	GAG	GCC	CAG	GCC	ATT	46
	Gln	Glu	Met	Val	Glu	Val	Ser	Gln	Phe	Gln	Glu	Ala	Gln	Ala	Ile	
1					5					10					15	
TCT	GTG	CTC	CAT	GAG	ATG	CTC	CAG	CAG	AGC	TTC	AAC	CTC	TTC	CAC	AAA	94
Ser	Val	Leu	His	Glu	Met	Leu	Gln	Gln	Ser	Phe	Asn	Leu	Phe	His	Lys	
					20					25					30	
GAG	CGC	TCC	TCT	GCT	GCC	TGG	GAC	ACT	ACC	CTC	CTG	GAG	CAG	CTC	CTC	142
Glu	Arg	Ser	Ser	Ala	Ala	Trp	Asp	Thr	Thr	Leu	Leu	Glu	Gln	Leu	Leu	
					35					40					45	
ACT	GGA	CTC	CAT	CAG	CAG	CTG	GAT	GAC	CTG	GAT	GCC	TGT	CTG	GGG	CAG	190
Thr	Gly	Leu	His	Gln	Gln	Leu	Asp	Asp	Leu	Asp	Ala	Cys	Leu	Gly	Gln	
					50					55					60	

TTG ACT GGA GAG GAA GAC TCT GCC CTG GGA AGG ACG GGC CCC ACC CTG
Leu Thr Gly Glu Glu Asp Ser Ala Leu Gly Arg Thr Gly Pro Thr Leu
65 70 75

GCC GTG AAG AGC TAC TTC CAG GGC ATC CAT GTC TAC CTG CAA GAG AAG
Ala Val Lys Ser Tyr Phe Gln Gly Ile His Val Tyr Leu Gln Glu Lys
80 85 90 95

GG

(2) INFORMATION FOR SEQ ID NO:24:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 95 amino acids
(B) TYPE: amino acid
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: predicted amino acid coding sequence
of SEQ ID NO:23 (HuIFNTau7).

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:24:

Gln Glu Met Val Glu Val Ser Gln Phe Gln Glu Ala Gln Ala Ile Ser
1 5 10 15

Val Leu His Glu Met Leu Gln Gln Ser Phe Asn Leu Phe His Lys Glu
20 25 30

Arg Ser Ser Ala Ala Trp Asp Thr Thr Leu Leu Glu Gln Leu Leu Thr
35 40 45

Gly Leu His Gln Gln Leu Asp Asp Leu Asp Ala Cys Leu Gly Gln Leu
50 55 60

Thr Gly Glu Glu Asp Ser Ala Leu Gly Arg Thr Gly Pro Thr Leu Ala
65 70 75 80

Val Lys Ser Tyr Phe Gln Gly Ile His Val Tyr Leu Gln Glu Lys
85 90 95

(2) INFORMATION FOR SEQ ID NO:25:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 307 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: HuIFNtau4

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 2..307

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:

C	CAG	GAG	ATG	GTG	GAG	GGT	GGC	CAG	CTC	CAG	GAG	GCC	CAG	GCC	ATC	46
	Gln	Glu	Met	Val	Glu	Gly	Gly	Gln	Leu	Gln	Glu	Ala	Gln	Ala	Ile	
	1				5					10					15	
TCT	GTG	CTC	CAC	GAG	ATG	CTC	CAG	CAG	AGC	TTC	AAC	CTC	TTC	CAC	ACA	94
Ser	Val	Leu	His	Glu	Met	Leu	Gln	Gln	Ser	Phe	Asn	Leu	Phe	His	Thr	
					20					25					30	
GAG	CAC	TCC	TCT	GCT	GCC	TGG	GAC	ACC	ACC	CTC	CTG	GAG	CAG	CTC	CGC	142
Glu	His	Ser	Ser	Ala	Ala	Trp	Asp	Thr	Thr	Leu	Leu	Glu	Gln	Leu	Arg	
					35					40					45	

ACT GGA CTC CAT CAG CAG CTG GAT GAC CTG GAT GCC TGC CTG GGG CAG 190
Thr Gly Leu His Gln Gln Leu Asp Asp Leu Asp Ala Cys Leu Gly Gln
50 55 60

GTG ACG GGA GAG GAA GAC TCT GCC CTG GGA AGG ACG GGC CCC ACC CTG 238
Val Thr Gly Glu Glu Asp Ser Ala Leu Gly Arg Thr Gly Pro Thr Leu
65 70 75

GCC ATG AAG ACG TAT TTC CAG GGC ATC CAT GTC TAC CTG AAA GAG AAG
Ala Met Lys Thr Tyr Phe Gln Gly Ile His Val Tyr Leu Lys Glu Lys 286
80 85 90 95

GGA TAT AGT GAC TGC GCC TGG
Gly Tyr Ser Asp Cys Ala Trp
100

(2) INFORMATION FOR SEQ ID NO:26:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 102 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: predicted amino acid coding sequence
of SEQ ID NO:25 (HuIFNtau4).

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:

Gln Glu Met Val Glu Gly Gly Gln Leu Gln Glu Ala Gln Ala Ile Ser
1 5 10 15

Val Leu His Glu Met Leu Gln Gln Ser Phe Asn Leu Phe His Thr Glu
20 25 30

His Ser Ser Ala Ala Trp Asp Thr Thr Leu Leu Glu Gln Leu Arg Thr
35 40 45

Gly Leu His Gln Gln Leu Asp Asp Leu Asp Ala Cys Leu Gly Gln Val
50 55 60

Thr Gly Glu Glu Asp Ser Ala Leu Gly Arg Thr Gly Pro Thr Leu Ala
65 70 75 80

Met Lys Thr Tyr Phe Gln Gly Ile His Val Tyr Leu Lys Glu Lys Gly
85 90 95

Tyr Ser Asp Cys Ala Trp
100

(2) INFORMATION FOR SEQ ID NO:27:

TCT GTG CTC CAC GAG ATG CTC CAG CAG AGC TTC AAC CTC TTC CAC ACA 94
 Ser Val Leu His Glu Met Leu Gln Gln Ser Phe Asn Leu Phe His Thr
 20 25 30

GAG CAC TCC TCT GCT GCC TGG GAC ACC ACC CTC CTG GAG CAG CTC CGC 142
 Glu His Ser Ser Ala Ala Trp Asp Thr Thr Leu Leu Glu Gln Leu Arg
 35 40 45

ACT GGA CTC CAT CAG CAG CTG GAT GAC CTG GAT GCC TGC CTG GGG CAG 190
 Thr Gly Leu His Gln Gln Leu Asp Asp Leu Asp Ala Cys Leu Gly Gln
 50 55 60

GTG ACG GGA GAG GAA GAC TCT GCC CTG GGA AGG ACG GGC CCC ACC CTG 238
 Val Thr Gly Glu Glu Asp Ser Ala Leu Gly Arg Thr Gly Pro Thr Leu
 65 70 75

GCC ATG AAG ACG TAT TTC CAG GGC ATC CAT GTC TAC CTG AAA GAG AAG 286
 Ala Met Lys Thr Tyr Phe Gln Gly Ile His Val Tyr Leu Lys Glu Lys
 80 85 90 95

GGA TAT AG 294
 Gly Tyr

(2) INFORMATION FOR SEQ ID NO:28:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 97 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: predicted amino acid coding sequence
 of SEQ ID NO:27 (HuIFNtau5).

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:

Gln Glu Met Val Glu Gly Gly Gln Leu Gln Glu Ala Gln Ala Ile Ser
 1 5 10 15

CTG GAC CAA ATG AGG AGA CTC TCC CCT CGC TTT TGT CTG CAG GAC AGA 96
 Leu Asp Gln Met Arg Arg Leu Ser Pro Arg Phe Cys Leu Gln Asp Arg
 20 25 30

AAA GAC TTC GCT TTA CCC TAG GAA ATG GTG GAG GGC GGC CAG CTC CAG 144
 Lys Asp Phe Ala Leu Pro Glu Met Val Glu Gly Gly Gln Leu Gln
 35 40 45

GAG GCC CAG GCC ATC TCT GTG CTC CAT GAG ATG CTC CAG CAG AGC TTC 192
 Glu Ala Gln Ala Ile Ser Val Leu His Glu Met Leu Gln Gln Ser Phe
 50 55 60

AAC CTC TTC CAC ACA GAG CAC TCC TCT GCT GCC TGG GAC ACC ACC CTC 240
 Asn Leu Phe His Thr Glu His Ser Ser Ala Ala Trp Asp Thr Thr Leu
 65 70 75 80

CTG GAG CAG CTC CGC ACT GGA CTC CAT CAG CAG CTG GAC AAC CTG GAT 288
 Leu Glu Gln Leu Arg Thr Gly Leu His Gln Gln Leu Asp Asn Leu Asp
 85 90 95

GCC TGC CTG GGG CAG GTG ATG GGA GAG GAA GAC TCT GCC CTG GGA AGG 336
 Ala Cys Leu Gly Gln Val Met Gly Glu Glu Asp Ser Ala Leu Gly Arg
 100 105 110

ACG GGC CCC ACC CTG GCT CTG AAG AGG TAC TTC CAG GGC ATC CAT GTC 384
 Thr Gly Pro Thr Leu Ala Leu Lys Arg Tyr Phe Gln Gly Ile His Val
 115 120 125

TAC CTG AAA GAG AAG GGA TAC AGC GAC TGC GCC TGG GAA ACC GTC AGA 432
 Tyr Leu Lys Glu Lys Gly Tyr Ser Asp Cys Ala Trp Glu Thr Val Arg
 130 135 140

GTG GAA ATC ATG AGA TCC TTC TCT TCA TTA ATC AGC TTG CAA GAA AGG 480
 Val Glu Ile Met Arg Ser Phe Ser Ser Leu Ile Ser Leu Gln Glu Arg
 145 150 155 160

TTA AGA ATG ATG GAT GGA GAC CTG AGC TCA CCT TGA 516
 Leu Arg Met Met Asp Gly Asp Leu Ser Ser Pro
 165 170

(ix) FEATURE:

(A) NAME/KEY: Modified-site

(B) LOCATION: 115-117

(D) OTHER INFORMATION: /note= "to allow expression of the
encoded protein this site can be modified
to encode an amino acid, e.g., Gln"

(2) INFORMATION FOR SEQ ID NO:30:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 171 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: predicted amino acid coding sequence
of SEQ ID NO:29 (HuIFNtau2).

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:

Asp Leu Ser Gln Asn His Val Leu Val Gly Arg Lys Asn Leu Arg Leu
1 5 10 15
Leu Asp Gln Met Arg Arg Leu Ser Pro Arg Phe Cys Leu Gln Asp Arg
20 25 30
Lys Asp Phe Ala Leu Pro Xaa Glu Met Val Glu Gly Gly Gln Leu Gln
35 40 45
Glu Ala Gln Ala Ile Ser Val Leu His Glu Met Leu Gln Gln Ser Phe
50 55 60
Asn Leu Phe His Thr Glu His Ser Ser Ala Ala Trp Asp Thr Thr Leu
65 70 75 80
Leu Glu Gln Leu Arg Thr Gly Leu His Gln Gln Leu Asp Asn Leu Asp
85 90 95
Ala Cys Leu Gly Gln Val Met Gly Glu Glu Asp Ser Ala Leu Gly Arg
100 105 110

Thr Gly Pro Thr Leu Ala Leu Lys Arg Tyr Phe Gln Gly Ile His Val
 115 120 125
 Tyr Leu Lys Glu Lys Gly Tyr Ser Asp Cys Ala Trp Glu Thr Val Arg
 130 135 140
 Val Glu Ile Met Arg Ser Phe Ser Ser Leu Ile Ser Leu Gln Glu Arg
 145 150 155 160
 Leu Arg Met Met Asp Gly Asp Leu Ser Ser Pro
 165 170

(ix) FEATURE:

- (A) NAME/KEY: Modified-site
- (B) LOCATION: 39
- (D) OTHER INFORMATION: /note= "where Xaa a selected amino acid,
for example, Gln"

(2) INFORMATION FOR SEQ ID NO:31:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 588 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: HuIFNtau3

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..588

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:31:

ATG GCC TTC GTG CTC TCT CTA CTC ATG GCC CTG GTG CTG GTC AGC TAC	48
Met Ala Phe Val Leu Ser Leu Leu Met Ala Leu Val Leu Val Ser Tyr	
1 5 10 15	
GGC CCG GGA GGA TCC CTG CGG TGT GAC CTG TCT CAG AAC CAC GTG CTG	96
Gly Pro Gly Gly Ser Leu Arg Cys Asp Leu Ser Gln Asn His Val Leu	
20 25 30	
GTT GGC AGC CAG AAC CTC AGG CTC CTG GGC CAA ATG AGG AGA CTC TCC	144
Val Gly Ser Gln Asn Leu Arg Leu Leu Gly Gln Met Arg Arg Leu Ser	
35 40 45	
CTT CGC TTC TGT CTG CAG GAC AGA AAA GAC TTC GCT TTC CCC CAG GAG	192
Leu Arg Phe Cys Leu Gln Asp Arg Lys Asp Phe Ala Phe Pro Gln Glu	
50 55 60	
ATG GTG GAG GGT GGC CAG CTC CAG GAG GCC CAG GCC ATC TCT GTG CTC	240
Met Val Glu Gly Gly Gln Leu Gln Glu Ala Gln Ala Ile Ser Val Leu	
65 70 75 80	
CAC GAG ATG CTC CAG CAG AGC TTC AAC CTC TTC CAC ACA GAG CAC TCC	288
His Glu Met Leu Gln Gln Ser Phe Asn Leu Phe His Thr Glu His Ser	
85 90 95	
TCT GCT GCC TGG GAC ACC ACC CTC CTG GAG CAG CTC CGC ACT GGA CTC	336
Ser Ala Ala Trp Asp Thr Thr Leu Leu Glu Gln Leu Arg Thr Gly Leu	
100 105 110	
CAT CAG CAG CTG GAT GAC CTG GAT GCC TGC CTG GGG CAG GTG ACG GGA	384
His Gln Gln Leu Asp Asp Leu Asp Ala Cys Leu Gly Gln Val Thr Gly	
115 120 125	
GAG GAA GAC TCT GCC CTG GGA AGA ACG GGC CCC ACC CTG GCC ATG AAG	432
Glu Glu Asp Ser Ala Leu Gly Arg Thr Gly Pro Thr Leu Ala Met Lys	
130 135 140	
AGG TAT TTC CAG GGC ATC CAT GTC TAC CTG AAA GAG AAG GGA TAT AGT	480
Arg Tyr Phe Gln Gly Ile His Val Tyr Leu Lys Glu Lys Gly Tyr Ser	
145 150 155 160	

GAC TGC GCC TGG GAA ATT GTC AGA CTG GAA ATC ATG AGA TCC TTG TCT 528
 Asp Cys Ala Trp Glu Ile Val Arg Leu Glu Ile Met Arg Ser Leu Ser
 165 170 175

TCA TCA ACC AGC TTG CAC AAA AGG TTA AGA ATG ATG GAT GGA GAC CTG 576
 Ser Ser Thr Ser Leu His Lys Arg Leu Arg Met Met Asp Gly Asp Leu
 180 185 190

AGC TCA CCT TGA 588
 Ser Ser Pro
 195

(2) INFORMATION FOR SEQ ID NO:32:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 195 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: predicted amino acid coding sequence
 of SEQ ID NO:31 (HuIFNtau3)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:32:

Met Ala Phe Val Leu Ser Leu Leu Met Ala Leu Val Leu Val Ser Tyr
 1 5 10 15

Gly Pro Gly Gly Ser Leu Arg Cys Asp Leu Ser Gln Asn His Val Leu
 20 25 30

Val Gly Ser Gln Asn Leu Arg Leu Leu Gly Gln Met Arg Arg Leu Ser
 35 40 45

Leu Arg Phe Cys Leu Gln Asp Arg Lys Asp Phe Ala Phe Pro Gln Glu
 50 55 60

Met Val Glu Gly Gly Gln Leu Gln Glu Ala Gln Ala Ile Ser Val Leu
 65 70 75 80

His Glu Met Leu Gln Gln Ser Phe Asn Leu Phe His Thr Glu His Ser
85 90 95

Ser Ala Ala Trp Asp Thr Thr Leu Leu Glu Gln Leu Arg Thr Gly Leu
100 105 110

His Gln Gln Leu Asp Asp Leu Asp Ala Cys Leu Gly Gln Val Thr Gly
115 120 125

Glu Glu Asp Ser Ala Leu Gly Arg Thr Gly Pro Thr Leu Ala Met Lys
130 135 140

Arg Tyr Phe Gln Gly Ile His Val Tyr Leu Lys Glu Lys Gly Tyr Ser
145 150 155 160

Asp Cys Ala Trp Glu Ile Val Arg Leu Glu Ile Met Arg Ser Leu Ser
165 170 175

Ser Ser Thr Ser Leu His Lys Arg Leu Arg Met Met Asp Gly Asp Leu
180 185 190

Ser Ser Pro
195

(2) INFORMATION FOR SEQ ID NO:33:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 518 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: HuIFNtau3, mature no leader sequence

000001 01000000

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION: 1..518

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:

TGT GAC CTG TCT CAG AAC CAC GTG CTG GTT GGC AGC CAG AAC CTC AGG	48
Cys Asp Leu Ser Gln Asn His Val Leu Val Gly Ser Gln Asn Leu Arg	
1 5 10 15	
CTC CTG GGC CAA ATG AGG AGA CTC TCC CTT CGC TTC TGT CTG CAG GAC	96
Leu Leu Gly Gln Met Arg Arg Leu Ser Leu Arg Phe Cys Leu Gln Asp	
20 25 30	
AGA AAA GAC TTC GCT TTC CCC CAG GAG ATG GTG GAG GGT GGC CAG CTC	144
Arg Lys Asp Phe Ala Phe Pro Gln Glu Met Val Glu Gly Gly Gln Leu	
35 40 45	
CAG GAG GCC CAG GCC ATC TCT GTG CTC CAC GAG ATG CTC CAG CAG AGC	192
Gln Glu Ala Gln Ala Ile Ser Val Leu His Glu Met Leu Gln Gln Ser	
50 55 60	
TTC AAC CTC TTC CAC ACA GAG CAC TCC TCT GCT GCC TGG GAC ACC ACC	240
Phe Asn Leu Phe His Thr Glu His Ser Ser Ala Ala Trp Asp Thr Thr	
65 70 75 80	
CTC CTG GAG CAG CTC CGC ACT GGA CTC CAT CAG CAG CTG GAT GAC CTG	288
Leu Leu Glu Gln Leu Arg Thr Gly Leu His Gln Gln Leu Asp Asp Leu	
85 90 95	
GAT GCC TGC CTG GGG CAG GTG ACG GGA GAG GAA GAC TCT GCC CTG GGA	336
Asp Ala Cys Leu Gly Gln Val Thr Gly Glu Glu Asp Ser Ala Leu Gly	
100 105 110	
AGA ACG GGC CCC ACC CTG GCC ATG AAG AGG TAT TTC CAG GGC ATC CAT	384
Arg Thr Gly Pro Thr Leu Ala Met Lys Arg Tyr Phe Gln Gly Ile His	
115 120 125	
GTC TAC CTG AAA GAG AAG GGA TAT AGT GAC TGC GCC TGG GAA ATT GTC	432
Val Tyr Leu Lys Glu Lys Gly Tyr Ser Asp Cys Ala Trp Glu Ile Val	
130 135 140	

AGA CTG GAA ATC ATG AGA TCC TTG TCT TCA TCA ACC AGC TTG CAC AAA 480
 Arg Leu Glu Ile Met Arg Ser Leu Ser Ser Ser Thr Ser Leu His Lys
 145 150 155 160

AGG TTA AGA ATG ATG GAT GGA GAC CTG AGC TCA CCT TG 518
 Arg Leu Arg Met Met Asp Gly Asp Leu Ser Ser Pro
 165 170

(2) INFORMATION FOR SEQ ID NO:34:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 172 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:

Cys Asp Leu Ser Gln Asn His Val Leu Val Gly Ser Gln Asn Leu Arg
 1 5 10 15

Leu Leu Gly Gln Met Arg Arg Leu Ser Leu Arg Phe Cys Leu Gln Asp
 20 25 30

Arg Lys Asp Phe Ala Phe Pro Gln Glu Met Val Glu Gly Gly Gln Leu
 35 40 45

Gln Glu Ala Gln Ala Ile Ser Val Leu His Glu Met Leu Gln Gln Ser
 50 55 60

Phe Asn Leu Phe His Thr Glu His Ser Ser Ala Ala Trp Asp Thr Thr
 65 70 75 80

Leu Leu Glu Gln Leu Arg Thr Gly Leu His Gln Gln Leu Asp Asp Leu
 85 90 95

Asp Ala Cys Leu Gly Gln Val Thr Gly Glu Glu Asp Ser Ala Leu Gly
 100 105 110

Arg Thr Gly Pro Thr Leu Ala Met Lys Arg Tyr Phe Gln Gly Ile His
 115 120 125

Val Tyr Leu Lys Glu Lys Gly Tyr Ser Asp Cys Ala Trp Glu Ile Val
 130 135 140

Arg Leu Glu Ile Met Arg Ser Leu Ser Ser Ser Thr Ser Leu His Lys
 145 150 155 160

Arg Leu Arg Met Met Asp Gly Asp Leu Ser Ser Pro
 165 170

(2) INFORMATION FOR SEQ ID NO:35:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 37 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: Amino acid sequence of fragment
 1-37 of SEQ ID NO:33

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:

Cys Asp Leu Ser Gln Asn His Val Leu Val Gly Ser Gln Asn Leu Arg
 1 5 10 15
 Leu Leu Gly Gln Met Arg Arg Leu Ser Leu Arg Phe Cys Leu Gln Asp
 20 25 30
 Arg Lys Asp Phe Ala
 35

(2) INFORMATION FOR SEQ ID NO:36:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 31 amino acids
- (B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: Amino acid sequence of fragment
34-64 of SEQ ID NO:33

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:36:

Lys Asp Phe Ala Phe Pro Gln Glu Met Val Glu Gly Gly Gln Leu Gln
1 5 10 15

Glu Ala Gln Ala Ile Ser Val Leu His Glu Met Leu Gln Gln Ser
20 25 30

(2) INFORMATION FOR SEQ ID NO:37:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 31 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: Amino acid sequence of fragment
62-92 of SEQ ID NO:33

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:37:

Gln Gln Ser Phe Asn Leu Phe His Thr Glu His Ser Ser Ala Ala Trp
1 5 10 15

Asp Thr Thr Leu Leu Glu Gln Leu Arg Thr Gly Leu His Gln Gln
20 25 30

(2) INFORMATION FOR SEQ ID NO:38:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 33 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: Amino acid sequence of fragment
90-122 of SEQ ID NO:33

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:38:

His Gln Gln Leu Asp Asp Leu Asp Ala Cys Leu Gly Gln Val Thr Gly
1 5 10 15

Glu Glu Asp Ser Ala Leu Gly Arg Thr Gly Pro Thr Leu Ala Met Lys
20 25 30

Arg

(2) INFORMATION FOR SEQ ID NO:39:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 32 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: Amino acid sequence of fragment
119-150 of SEQ ID NO:33

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:39:

Ala Met Lys Arg Tyr Phe Gln Gly Ile His Val Tyr Leu Lys Glu Lys
1 5 10 15

Gly Tyr Ser Asp Cys Ala Trp Glu Ile Val Arg Leu Glu Ile Met Arg
20 25 30

(2) INFORMATION FOR SEQ ID NO:40:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 34 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: Amino acid sequence of fragment
139-172 of SEQ ID NO:33

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:40:

Cys Ala Trp Glu Ile Val Arg Leu Glu Ile Met Arg Ser Leu Ser Ser
1 5 10 15
Ser Thr Ser Leu His Lys Arg Leu Arg Met Met Asp Gly Asp Leu Ser
20 25 30
Ser Pro

(2) INFORMATION FOR SEQ ID NO:41:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 23 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: Amino acid sequence of fragment
1-23 of SEQ ID NO:32

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:41:

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: HuIFNtau1 genomic-derived
DNA coding sequence, without leader seq.

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION: 1..519

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:43:

TGT GAC CTG TCT CAG AAC CAC GTG CTG GTT GGC AGG AAG AAC CTC AGG	48
Cys Asp Leu Ser Gln Asn His Val Leu Val Gly Arg Lys Asn Leu Arg	
1 5 10 15	
CTC CTG GAC GAA ATG AGG AGA CTC TCC CCT CGC TTT TGT CTG CAG GAC	96
Leu Leu Asp Glu Met Arg Arg Leu Ser Pro Arg Phe Cys Leu Gln Asp	
20 25 30	
AGA AAA GAC TTC GCT TTA CCC CAG GAA ATG GTG GAG GGC GGC CAG CTC	144
Arg Lys Asp Phe Ala Leu Pro Gln Glu Met Val Glu Gly Gly Gln Leu	
35 40 45	
CAG GAG GCC CAG GCC ATC TCT GTG CTC CAT GAG ATG CTC CAG CAG AGC	192
Gln Glu Ala Gln Ala Ile Ser Val Leu His Glu Met Leu Gln Gln Ser	
50 55 60	
TTC AAC CTC TTC CAC ACA GAG CAC TCC TCT GCT GCC TGG GAC ACC ACC	240
Phe Asn Leu Phe His Thr Glu His Ser Ser Ala Ala Trp Asp Thr Thr	
65 70 75 80	
CTC CTG GAG CAG CTC CGC ACT GGA CTC CAT CAG CAG CTG GAC AAC CTG	288
Leu Leu Glu Gln Leu Arg Thr Gly Leu His Gln Gln Leu Asp Asn Leu	
85 90 95	
GAT GCC TGC CTG GGG CAG GTG ATG GGA GAG GAA GAC TCT GCC CTG GGA	336
Asp Ala Cys Leu Gly Gln Val Met Gly Glu Glu Asp Ser Ala Leu Gly	
100 105 110	
AGG ACG GGC CCC ACC CTG GCT CTG AAG AGG TAC TTC CAG GGC ATC CAT	384
Arg Thr Gly Pro Thr Leu Ala Leu Lys Arg Tyr Phe Gln Gly Ile His	
115 120 125	

GTC TAC CTG AAA GAG AAG GGA TAC AGC GAC TGC GCC TGG GAA ACC GTC 432
 Val Tyr Leu Lys Glu Lys Gly Tyr Ser Asp Cys Ala Trp Glu Thr Val
 130 135 140

AGA CTG GAA ATC ATG AGA TCC TTC TCT TCA TTA ATC AGC TTG CAA GAA 480
 Arg Leu Glu Ile Met Arg Ser Phe Ser Ser Leu Ile Ser Leu Gln Glu
 145 150 155 160

AGG TTA AGA ATG ATG GAT GGA GAC CTG AGC TCA CCT TGA 519
 Arg Leu Arg Met Met Asp Gly Asp Leu Ser Ser Pro
 165 170

(2) INFORMATION FOR SEQ ID NO:44:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 172 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:44:

Cys Asp Leu Ser Gln Asn His Val Leu Val Gly Arg Lys Asn Leu Arg
 1 5 10 15
 Leu Leu Asp Glu Met Arg Arg Leu Ser Pro Arg Phe Cys Leu Gln Asp
 20 25 30
 Arg Lys Asp Phe Ala Leu Pro Gln Glu Met Val Glu Gly Gly Gln Leu
 35 40 45
 Gln Glu Ala Gln Ala Ile Ser Val Leu His Glu Met Leu Gln Gln Ser
 50 55 60
 Phe Asn Leu Phe His Thr Glu His Ser Ser Ala Ala Trp Asp Thr Thr
 65 70 75 80
 Leu Leu Glu Gln Leu Arg Thr Gly Leu His Gln Gln Leu Asp Asn Leu
 85 90 95

